Roads & Lighting		2005/2006 Orkney Islands					
		Source	Contextual	Performance information	02/03	PI values 03/04	04/05
CARRIAGEWAY CONDITION							
	ge of the road network that should be d for maintenance treatment						
Overall pe categorie	ercentage represents red and amber	Red	Amber	Overall			
ullegone.	,		Amber	Overail			
i. A class ro	bads	4.3 %	24.9 %	29.2 %	-	16.6 %	20.6 %
ii. B class ro	bads	3.5 %	<u>21.3</u> %	24.8 %	-	33.0 %	46.7 %
iii. C class ro	bads	0.5 %	12.2 %	12.8 %	-	19.1 %	5.4 %
iii. Unclassifi	ed roads	8.8 %	31.0 %	39.8 %	-	41.7 %	15.3 %
iv. Overall		5.6 %	24.9 %	30.5 %	-	32.0 %	21.1 %
RAFFIC LIGHT RE	PAIRS						
	-						
Traffic lig	hts failure						
a) Total num	hber of repairs to be completed		NS				
b) i. Number of	completed within 48 hours	NS					
ii. Percenta	ge completed within 48 hours			NS %	No Service	No Service	No Servic
				OK			

Roads & Lighting	2005/2006		Orkney Islands				
	Source	Contextual	Performance information	02/03	PI values 03/04	04/05	
 STREET LIGHT REPAIRS 3 Street lights failure a) Total number of repairs to be completed b) i. Number completed within 7 days ii. Percentage completed within 7 days 	712	839	84.9 % OK	86.5 %	93.4 %	88.1 %	
STREET LIGHTING COLUMNS 4 The proportion of street lighting columns that are over 30 years old Total number of street lighting columns Number of street lighting columns that are over 30 years old		<u>2,579</u> 448	17.4 % OK	-	-	19.2 %	

Roads & Lighting		2005/2006 Orkney Islands		Orkney Islands			
		Source	Contextual	Performance information	02/03	PI values 03/04	04/05
BRIDGES - ROAD NETWORK RESTRICTIONS							
5	Bridges failing to meet European standard of 40 tonnes or having weight or width restrictions placed on them						
a) i.	Total number of assessed council bridges		46				
ii.	Total number of assessed private bridges		NS				
iii.	All bridges		46				
iv.	Number and percentage of bridges failing European standard:						
	(a) Council		0	<mark>ок</mark>	-	-	0.0 %
	(b) Private		NS	#VALUE! %	-	-	No Service
	(c) All bridges		0	NS %	-	-	0.0 %
b)	Number and percentage of bridges with a weight or width restriction:						
	(a) Council		0	<mark>ок</mark>	-	-	0.0 %
	(b) Private		NS	WALUE! %	-	-	No Service
	(c) All bridges		0	NS %	-	-	0.0 %